

-	1	(shar\$4 NEAR5 (peripheral\$1 or device\$1 or "SCSI")) same ("DCOM") and @ad<20000907	USPAT	2003/11/12 09:57
-	36	(shar\$4 NEAR5 (peripheral\$1 or device\$1 or "SCSI")) and ("DCOM") and @ad<20000907	USPAT	2003/11/12 10:48
-	2582	(shar\$4 NEAR5 (peripheral\$1 or (external adj device\$1) or "SCSI")) and @ad<20000907	USPAT	2003/11/12 11:20
-	8	((shar\$4 NEAR5 (peripheral\$1 or (external adj device\$1) or "SCSI")) and @ad<20000907) and ((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model")	USPAT	2003/11/12 10:55
-	6	(DCOM NEAR4 link) and @ad<20000907	USPAT	2003/11/12 11:12
-	0	(password NEAR5 DCOM) and @ad<20000907	USPAT	2003/11/12 11:13
-	0	((shar\$4 NEAR5 (peripheral\$1 or (external adj device\$1) or "SCSI")) and @ad<20000907) and (adapter NEAR20 "gui")	USPAT	2003/11/12 11:16
-	8	((shar\$4 NEAR5 (peripheral\$1 or (external adj device\$1) or "SCSI")) and @ad<20000907) and (adapter NEAR20 (user adj interface))	USPAT	2003/11/12 11:16
-	2485	(shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907	USPAT	2003/11/13 11:34
-	166	((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907) and (adapter NEAR4 interface)	USPAT	2003/11/12 11:21
-	2	((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907) and (adapter and (graphical adj interface))	USPAT	2003/11/12 11:22
-	16	((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907) and 709/219.ccls.	USPAT	2003/11/12 11:22
-	4	((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907) and (username NEAR3 password)	USPAT	2003/11/12 15:26
-	0	((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907) and password) and ((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model")	USPAT	2003/11/12 15:35
-	64	((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907) and password	USPAT	2003/11/12 15:28
-	437	((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model") and @ad<20000907	USPAT	2003/11/12 15:35
-	135	((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model") and @ad<20000907) and password	USPAT	2003/11/12 15:36
-	71	((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model") and @ad<20000907) and password) and adapter\$1	USPAT	2003/11/12 15:41
-	38	((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model") and @ad<20000907) and password) and (connect\$3 or communicat\$4) NEAR4 adapter\$1	USPAT	2003/11/12 15:37
-	33	((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model") and @ad<20000907) and password) and adapter\$1) not (((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model") and @ad<20000907) and password) and (connect\$3 or communicat\$4) NEAR4 adapter\$1)	USPAT	2003/11/12 15:47
-	88	(remote\$3 NEAR5 access\$3) NEAR4 (peripheral\$1 or "SCSI" or "CD-R" or scanner) and @ad<20000907	USPAT	2003/11/12 15:48
-	0	((remote\$3 NEAR5 access\$3) NEAR4 (peripheral\$1 or "SCSI" or "CD-R" or scanner) and @ad<20000907) and ((distributed NEAR2 ("COM" or "component object model")) or "DCOM" or "distributed component object model")	USPAT; US-PGPUB	2003/11/12 15:49

-	93	(remote\$3 NEAR5 access\$3) NEAR4 (peripheral\$1 or "SCSI" or "CD-R" or scanner) and @ad<20000907	USPAT; US-PGPUB	2003/11/12 15:49
-	1	(shar\$4 NEAR3 (peripheral\$1 or device\$1 or scanner or (external adj harddrive)) NEAR5 password) and @ad<20000907	USPAT; US-PGPUB	2003/11/13 08:04
-	3	shar\$4 NEAR3 (peripheral\$1 or device\$1 or scanner or (external adj harddrive)) NEAR20 password and @ad<20000907	USPAT; US-PGPUB	2003/11/13 08:05
-	6	shar\$4 NEAR5 (peripheral\$1 or device\$1 or scanner or (external adj harddrive)) NEAR20 password and @ad<20000907	USPAT; US-PGPUB	2003/11/13 08:05
-	997	(remote NEAR3 access) NEAR5 (peripheral\$1 or "SCSI" or scanner or device\$1) and @ad<20000907	USPAT; US-PGPUB	2003/11/13 08:11
-	7	((remote NEAR3 access) NEAR5 (peripheral\$1 or "SCSI" or scanner or device\$1) and @ad<20000907) and (SCSI adj adapter)	USPAT; US-PGPUB	2003/11/13 08:11
-	54	((remote NEAR3 access) NEAR5 (peripheral\$1 or "SCSI" or scanner or device\$1) and @ad<20000907) and ((identification or username) NEAR4 password)	USPAT; US-PGPUB	2003/11/13 08:12
-	45	((remote NEAR3 access) NEAR5 (peripheral\$1 or "SCSI" or scanner or device\$1) and @ad<20000907) and ((identification or username) NEAR4 password)) and (icon or "gui" or interface)	USPAT; US-PGPUB	2003/11/13 08:12
-	27	(connection NEAR4 password) same (access NEAR4 password) and @ad<20000907	USPAT; US-PGPUB	2003/11/13 10:34
-	11	multiple NEAR5 password NEAR8 enter	USPAT; US-PGPUB	2003/11/13 10:35
-	55	enter NEAR5 password NEAR4 twice	USPAT; US-PGPUB	2003/11/13 10:41
-	1	(double or twice) NEAR5 password NEAR4 protection	USPAT; US-PGPUB	2003/11/13 10:43
-	19	(multi NEAR4 level) NEAR5 password	USPAT; US-PGPUB	2003/11/13 10:59
-	0	reverifying NEAR5 password	USPAT; US-PGPUB	2003/11/13 11:03
-	0	reverify NEAR5 password	USPAT; US-PGPUB	2003/11/13 11:04
-	0	"re-verify" NEAR5 password	USPAT; US-PGPUB	2003/11/13 11:04
-	0	recheck NEAR5 password	USPAT; US-PGPUB	2003/11/13 11:04
-	698	verify NEAR5 password	USPAT; US-PGPUB	2003/11/13 11:04
-	500	(verify NEAR5 password) and multiple	USPAT; US-PGPUB	2003/11/13 11:07
-	608	multiple NEAR5 verification	USPAT; US-PGPUB	2003/11/13 11:07
-	401	multiple NEAR3 verification	USPAT; US-PGPUB	2003/11/13 11:08
-	0	multiple NEAR3 verification NEAR3 password	USPAT; US-PGPUB	2003/11/13 11:08
-	73	(multiple NEAR3 verification) and password	USPAT; US-PGPUB	2003/11/13 11:10
-	185	"re-enter" NEAR4 password	USPAT; US-PGPUB	2003/11/13 11:10
-	2485	(shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907	USPAT	2003/11/13 11:35
-	1	((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907) and (choos\$4 NEAR6 adapter)	USPAT	2003/11/13 11:35
-	47	((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907) and ((choos\$4 or select\$3 or pick\$3) NEAR6 adapter)	USPAT	2003/11/13 11:37
-	1	((shar\$4 NEAR5 (peripheral\$1 or "SCSI")) and @ad<20000907) and ((choos\$4 or select\$3 or pick\$3) NEAR6 adapter)) and password	USPAT	2003/11/13 11:52
-	181	(local adj client) NEAR5 server	USPAT	2003/11/13 13:04
-	8	interface NEAR4 provid\$3 NEAR5 password	USPAT	2003/11/13 13:08
-	1167	display\$3 NEAR5 (username or password)	USPAT	2003/11/13 13:08

-	24	display\$3 NEAR5 (username or password) NEAR5 interface	USPAT	2003/11/13 13:11
-	18	display\$3 NEAR5 (username and password)	USPAT	2003/11/13 13:17
-	89	SCSI NEAR4 (inquiry NEAR5 command\$1)	USPAT	2003/11/13 13:18
-	5	(SCSI NEAR4 (inquiry NEAR5 command\$1)) and (remote NEAR4 (client or access))	USPAT	2003/11/13 13:23
-	8	icon NEAR4 (represent\$3 NEAR4 adapter)	USPAT	2003/11/13 14:02
-	0	(SCSI NEAR4 command\$1) NEAR20 DCOM	USPAT	2003/11/13 14:02
-	1084	(SCSI NEAR4 command\$1) and @ad<20000907	USPAT	2003/11/13 14:03
-	1	((SCSI NEAR4 command\$1) and @ad<20000907) and DCOM	USPAT	2003/11/13 14:03
-	12	dcom with (authentica\$3 or GUI) and @ad<20000907	USPAT; US-PGPUB	2003/11/13 16:41
-	8	dcom with (authentica\$5 or login or logon or (access adj control)) and @ad<20000907	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 11:42
-	5	windows NEAR10 (login or logon or password) and (firewall NEAR5 (authentica\$5 or password)) and @ad<20000907	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 11:46
-	130	(login or logon or password) and (firewall NEAR5 (authentica\$5 or password)) and @ad<20000907	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 11:46
-	8	dcom with gui	USPAT; US-PGPUB	2003/11/17 15:02
-	291	dcom and gui	USPAT; US-PGPUB	2003/11/17 15:19
-	123	(dcom and gui) and @ad<20000907	USPAT; US-PGPUB	2003/11/17 15:03
-	123	DCOM and gui and @ad<20000907	USPAT; US-PGPUB	2003/11/17 15:19
-	1	6463459.pn.	USPAT; US-PGPUB	2003/11/17 15:20
-	9	gui with (login or logon or password) NEAR3 information and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:38
-	0	issu\$3 with (logon or login or username or password) NEAR4 gui and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:39
-	0	issu\$3 NEAR5 (logon or login or username or password) NEAR4 gui and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:39
-	0	issu\$3 NEAR15 (logon or login or username or password) NEAR4 gui and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:40
-	0	issu\$3 NEAR15 (logon or login or username or password) NEAR8 gui and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:40
-	663	issu\$3 NEAR15 (logon or login or username or password) and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:40
-	718	issu\$3 with (logon or login or username or password) and @ad<20000907	USPAT; US-PGPUB	2003/11/18 09:40
-	345	issu\$3 NEAR3 (logon or login or username or password) and @ad<20000907	USPAT; US-PGPUB	2003/11/18 10:54
-	1	("6141686").PN.	USPAT; US-PGPUB	2004/04/30 08:17
-	1379	709/219.ccls. and @ad<20000907	USPAT; US-PGPUB	2004/04/30 08:17
-	119	(709/219.ccls. and @ad<20000907) and @pd>20031110	USPAT; US-PGPUB	2004/04/30 09:15
-	757	remote\$3 NEAR10 (SCSI or peripheral) NEAR8 (access\$3 or connect\$4)	USPAT; US-PGPUB	2004/04/30 09:16
-	865	remote\$3 NEAR10 (SCSI or peripheral) NEAR8 (access\$3 or connect\$4)	USPAT; US-PGPUB	2004/04/30 09:17
-	4	(remote\$3 NEAR10 (SCSI or peripheral) NEAR8 (access\$3 or connect\$4)) and DCOM	USPAT; US-PGPUB	2004/04/30 09:16
-	2722	access\$4 NEAR4 (remote NEAR3 (device or peripheral))	USPAT; US-PGPUB	2004/04/30 09:24
-	214	(access\$4 NEAR4 (remote NEAR3 (device or peripheral))) and SCSI	USPAT; US-PGPUB	2004/04/30 09:18
-	70	access\$4 NEAR4 (remote NEAR3 peripheral)	USPAT; US-PGPUB	2004/04/30 09:32

-	1	("6327613").PN.	USPAT; US-PGPUB	2004/04/30 09:32
---	---	-----------------	--------------------	------------------